
QDI COMPUTER, INC. TVGA-9400 CXI

Category Video Types Supported Video Processor Video **XVGA**

Trident Microsystems, Inc.

Highest Resolution Supported
Data Bus Type
Memory Type 1280 x 1024 VESA local bus DRAM

Maximum Onboard Memory 2MB



CONNECTIONS			
Purpos :	Location	Purpos ;	Location
15-pin analog video port	CN1	VESA Feature connector	CN2

VL-BUS TIMING		
Setting J1		
í Standard	Pins 2 & 3 closed	
Alternate	Pins 1 & 2 closed	

SCAN RATE		
Setting	J7	
í Interlaced mode	Closed	
Non-interlaced, 48.7KHz mode	Open	

DRAM SPEED		
Speed	J8	
í 60/70ns	Open	
80ns	Closed	

Continued on next page. . .

QDI COMPUTER, INC. TVGA-9400 CXI

. . .continued from previous page

CPU SPEED MATCHING		
Setting	JX7	
í CPU speed ≤ 33MHz	Open	
CPU speed > 33MHz	Closed	

FACTORY CONFIGURED SETTINGS		
Jumper	Setting	
JX8	Open	

DRAM CONFIGURATION			
Size	Bank (Bank ⁻	
í 1MB	(2) 256K x 16	None	
2MB	(2) 256K x 16	(8) 256K x 4	