


# TECHNOLOGY WORKS AT1200

Category	Video
Video Types Supported	XVGA
Video Processor	TMS34020, TMS34082
Highest Resolution Supported	1280 x 1024
Data Bus Type	16-bit ISA
Memory Type	DRAM/VRAM
Maximum Onboard Memory	4MB/4MB (See DRAM technical note)



CONNECTIONS			
Purpose :	Location	Purpose :	Location
15-pin analog video port	CN1	15-pin analog video port	CN2

BASE I/O ADDRESS SELECTION							
Address	SW1/1	SW1/2	SW1/3	SW1/4	SW1/5	SW1/6	SW1/7
360h	Off	Off	On	Off	Off	On	On
300h	Off	Off	On	On	On	On	On
308h	Off	Off	On	On	On	On	Off
310h	Off	Off	On	On	On	Off	On
340h	Off	Off	On	Off	On	On	On
380h	Off	Off	Off	On	On	On	On
3A0h	Off	Off	Off	On	Off	On	On
3E0h	Off	Off	Off	Off	Off	On	On

Continued on next page . . .

TECHNOLOGY WORKS  
AT1200

...continued from previous page

FACTORY CONFIGURED - DO NOT ALTER	
Switch	Position
SW1/8	Off
SW1/9	Off
SW1/10	Off
SW1/11	Off
SW1/12	Off

**DRAM TECHNICAL NOTE**  
The AT1200 can come with either 1MB or 4MB of memory depending on the version you have. The exact memory configuration of this card is unidentified by the manufacturer.