
## JUKO LABORATORIES, LTD. G7-A

Category
Video Types Supported
Video Processor
Highest Resolution Supported
Data Bus Type
Memory Type
Maximum Onboard Memory

Video/Multi I/O CGA/Monochrome Unidentified 640 x 400 8-bit ISA N/A N/A



CONNECTIONS			
Purpos: Location Purpos: Location			
15-pin analog video port	CN1	6-pin light pen connector	CN5
Composite video jack	CN2	16-pin game/MIDI port	CN7
9-pin mouse port	CN3	26-pin parallel port interface	CN8

COMPOSITE DISPLAY CONFIGURATION		
Setting	J1	
í Color	Pins 1 & 2 closed	
Mono	Pins 2 & 3 closed	

MOUSE INTERRUPT SELECTION					
IRQ	J2	J6/SW2	J6/SW3	J6/SW4	J6/SW5
í2	Pins 1 & 2 closed	Pins 1 & 2 closed	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 2 & 3 closed
3	Pins 3 & 4 closed	Pins 2 & 3 closed	Pins 1 & 2 closed	Pins 2 & 3 closed	Pins 2 & 3 closed
4	Pins 5 & 6 closed	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 1 & 2 closed	Pins 2 & 3 closed
5	Pins 7 & 8 closed	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 1 & 2 closed

Continued on next page . . .

## JUKO LABORATORIES, LTD. G7-A

...continued from previous page

COLOR FREQUENCY CONFIGURATION		
Setting	J3	
í Color display 14.31818MHz clock	Pins 1 & 2 closed	
Monochrome 16MHz clock	Pins 3 & 4 closed	
640 x 400 display 23.4 MHz clock	Pins 5 & 6 closed	

PARALLEL PORT CONFIGURATION			
Setting J4/SW1			
í Enabled	Pins 1 & 2 closed		
Disabled	Pins 2 & 3 closed		

GAME PORT CONFIGURATION		
Setting J4/SW2		
í Enabled	Pins 1 & 2 closed	
Disabled	Pins 2 & 3 closed	

VERTICAL SYNCHRONIZE PULSE CONFIGURATION		
Setting J5/SW1		
í Positive	Pins 1 & 2 closed	
Negative	Pins 2 & 3 closed	

HORIZONTAL SYNCHRONIZE PULSE CONFIGURATION		
Setting J5/SW2		
í Positive	Pins 1 & 2 closed	
Negative	Pins 2 & 3 closed	

DISPLAY MODE SELECTION			
Mode	J5/SW3	J5/SW4	J5/SW5
í Color/graphics display	Pins 1 & 2 closed	Pins 2 & 3 closed	Pins 1 & 2 closed
Composite color graphics display	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 1 & 2 closed
Composite monochrome graphics display	Pins 2 & 3 closed	Pins 1 & 2 closed	Pins 2 & 3 closed
640 x 400 color graphics display	Pins 1 & 2 closed	Pins 1 & 2 closed	Pins 2 & 3 closed
Monochrome graphics display	Pins 1 & 2 closed	Pins 1 & 2 closed	Pins 1 & 2 closed
Disabled all display modes	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 2 & 3 closed

Continued on next page . . .

## JUKO LABORATORIES, LTD. G7-A

...continued from previous page

MOUSE PORT CONFIGURATION			
Setting J6/SW1			
í Enabled	Pins 1 & 2 closed		
Disabled	Pins 2 & 3 closed		