


SIGMA DESIGNS, INC.

COLOR 400 (VER.2.51)

Card Type	Video card
Video Chip Set	Unidentified
Highest Resolution Supported	640 x 400
Maximum Video Memory	Unidentified
Data Bus	8-bit ISA
Video Types Supported	VGA



CONNECTIONS	
Function	Label
15-pin analog video port	CN1

USER CONFIGURABLE SETTINGS		
Function	Label	Position
Light pen connector configured for most computers	JP1	Open
Light pen connector alternate configuration	JP1	Pins 3 & 4 closed
I/O read enabled at 3DAh	SW1/6	On
I/O read disabled at 3DAh	SW1/6	Off

MONITOR TYPE SELECTION		
Type	SW/7	SW1/8
NEC 1401P3A	On	On
PGS SR-12	On	On
TANDY CM-1	Off	Off
TAXAN 630	Off	Off
TAXAN 640	Off	Off

ROM SIZE SELECTION	
Setting	SW1/5
8-bit	Off
16-bit	On

Continued on next page. . .

SIGMA DESIGNS, INC.
 COLOR 400 (VER.2.51)

. . . continued from previous page

BIOS MEMORY ADDRESS SELECTION		
Address	SW1/3	SW1/4
í CC00:0	On	On
C400:0	On	Off
CC00:0	On	Off
D800:0	Off	On
C000:0	Off	Off
D000:0	Off	Off

BASE I/O ADDRESS SELECTION		
Address	SW1/1	SW1/2
í 2D0h - 2DFh	On	On
2C0h - 2CFh	On	Off
250h - 25Fh	Off	On
350h - 35Fh	Off	Off