


PERIPHERALS ENTERPRISE COMPANY GW202 BABY I/O CARD

Card Type	Multi-I/O card
Chipset	Unidentified
Maximum Onboard Memory	Unidentified
I/O Options	Floppy drive interface, game port, parallel port, serial ports (2)
Data Bus	8-bit ISA
Card Size	Full height, half length



CONNECTIONS			
Function	Label	Function	Label
10-pin serial port 1 - internal	ASYN1	25-pin parallel port - external	CN2
10-pin serial port 2 - internal	ASYN2	34-pin cable connector - floppy drive	JP4
15-pin game port	CN1		

USER CONFIGURABLE SETTINGS			
Setting	Label	Position	
Game port enabled	JP5	Pins 1 & 2 closed	
Game port disabled	JP5	Pins 1 & 2 open	

TIMER SELECTION	
Setting	JP5
Time 1	Pins 3 & 4 closed
Time 2	Pins 4 & 6 closed
Disabled	Pins 3, 4 & 6 open

PARALLEL PORT ADDRESS SELECTION	
Setting	JP5
LPT1 (378h)	Pins 7 & 8 closed
LPT2 (278h)	Pins 5 & 7 closed
Disabled	Pins 5, 7 & 8 open

SERIAL PORT 1 ADDRESS SELECTION	
Setting	JP5
COM1 (3F8h)	Pins 9 & 10, 13 & 14 closed
COM3 (3E8h)	Pins 9 & 10, 11 & 13 closed
Disabled	Pins 9, 10, 11, 12, 13 & 14 open

Continued on next page. . .

PERIPHERALS ENTERPRISE COMPANY

GW202 BABY I/O CARD

. . . continued from previous page

SERIAL PORT 2 ADDRESS SELECTION	
Setting	JP5
COM2 (2F8h)	Pins 15 & 16, 19 & 20 closed
COM4 (2E8h)	Pins 15 & 16, 17 & 19 closed
Disabled	Pins 15, 16, 17, 18, 19 & 20 open