


# LEADING EDGE PRODUCTS, INC.

## G 8

Card Type	Multi-I/O/Video card
Chip Set	Unidentified
Maximum Onboard Memory	Unidentified
I/O Options	Light pen connector, game port, parallel port, serial port (RS-232), mouse port
Video Types Supported	Monochrome
Highest Resolution	640 x 400
Data Bus	8-bit ISA
Card Size	Half-length



CONNECTIONS			
Function	Label	Function	Label
9-pin serial port	CN1	Game port	CN7
Mouse port	CN3	Parallel port	CN8
PAL connector	CN4	Composite video out	CN12
Light pen connector	CN5		

USER CONFIGURABLE SETTINGS			
Function	Label	Position	
í Composite color display	J1	Pins 1 & 2 closed	
Composite monochrome display	J1	Pins 2 & 3 closed	
í Composite/RGB/TTL monochrome display/PAL/Color emulation display	J3	Pins 1 & 2 closed	
640 x 400 display	J3	Pins 2 & 3 closed	
í Printer port 1	J15	Pins 1 & 2 closed	
Printer port 2	J15	Pins 2 & 3 closed	
í Mouse disabled	SW1/6	Off	
Mouse enabled	SW1/6	On	
í Printer port enabled	SW1/7	On	
Printer port disabled	SW1/7	Off	
í Game controller port enabled	SW1/8	On	
Game controller port disabled	SW1/8	Off	

Continued on next page . . .

**G 8**

... continued from previous page

MONITOR CONFIGURATION SELECTION						
Display setting	SW1/1	SW1/2	SW1/2	SW 1/4	SW 1/5	SW1/9
Composite color graphics	On	On	Off	Off	On	Off
Composite monochrome graphics	On	On	Off	On	Off	Off
PAL TV	On	On	Off	On	On	Off
i RGB color graphics	On	On	On	Off	On	Off
TTL monochrome graphics	Off	On	On	On	On	Off
640 x 400	Off	Off	On	On	Off	Off
Color emulation	Off	On	Off	Off	Off	Off

MOUSE PORT INTERRUPT SELECTION								
IRQ	J2/A	J2/B	J2/C	J2/D	J6/A	J6/B	J6/C	J6/D
IRQ2	Closed	Open	Open	Open	Pins 1 & 2	Open	Open	Open
IRQ3	Open	Closed	Open	Open	Open	Pins 1 & 2	Open	Open
IRQ4	Open	Open	Closed	Open	Open	Open	Pins 1 & 2	Open
IRQ5	Open	Open	Open	Closed	Open	Open	Open	Pins 1 & 2

**Note:** Identified pins are in the closed position. To use the mouse J2 & J6 must be set to the same IRQ.